AMENDMENTS TO THE CLAIMS:

1. (Currently Amended) A communications system, comprising:

a radio network coupled to a serving computer on a first network;

a mobile node coupled to the radio network by a wireless communication link with an established communication session on the first network;

a communication server computer linked to the serving computer, said communication server computer controlling the allocation of addresses for the mobile node and performing accounting functions for the first network, and;

a control message transmission on the first network comprising a data element that denotes the continuation of the mobile node's communication session on the first network to prevent deallocation of a mobile node address and continue a multipart communication session.

- 2. (Original) The communications system in Claim 1 wherein the control message includes a type field.
- (Original) The communications system in Claim 1 wherein the control message includes a length field.
- 4. (Original) The communications system in Claim 1 wherein the control message includes a vendor-type field.

- 5. (Original) The communications system in Claim 1 wherein the control message includes a field containing the data element.
- 6. (Original) The communications system in Claim 1 wherein the serving computer is coupled to an Internet.
- 7. (Original) The communications system in Claim 1 wherein the serving computer is coupled to a second network.
- 8. (Currently Amended) The communication system in Claim 1 wherein the communication server computer will not change the mobile node's address on [[the]] a foreign network after receiving the control message.

9. (Currently Amended) The method of continuing a communication session on a communication system comprising the steps of:

transmitting a [[request]] <u>control</u> message from a serving computer to a first serving computer, said [[request]] <u>control</u> message contains a session continuation message; and

receiving the [[request]] <u>control</u> message from said serving computer and maintaining an address allocation for a mobile node on [[the]] <u>a</u> foreign network, <u>said control message causing a multipart communication session to continue by preventing deallocation of the address for the mobile node.</u>

- 10. (Original) The method of continuing a communication session in Claim 9 wherein the session continuation message is a data element in an accounting message.
- 11. (Currently Amended) The method of continuing a communication session in

 Claim 9 wherein the [[server]] serving computer continues accounting functions

 for [[an]] the ongoing multipart communication session in response to the

 [[request]] control message.
- 12. (Original) The method of continuing a communication session in Claim 9 wherein the session continuation message includes a type data element.

- 13. (Original) The method of continuing a communication session in Claim 9 wherein the session continuation message includes a length data element.
- 14. (Original) The method of continuing a communication session in Claim 9 wherein the session continuation message includes a vendor-type data element.
- 15. (Original) The method of continuing a communication session in Claim 9 wherein the session continuation message includes an identifier data element.
- 16. (Original) The method of continuing a communication session in Claim 9 wherein the session continuation message includes a session continuation attribute data element.
- 17. (Original) The method of continuing a communication session in Claim 16 wherein the session continuation attribute is a data value in an accounting message.

18. (Currently Amended) A method for supporting communications on packet-based network comprising the steps of:

receiving a continuation session attribute [[message]], and,
continuing an accounting function for a mobile node address on an
ongoing communication session after receipt of the continuation session
[[message]] attribute in a message transmission by preventing deallocation of the
mobile node address and allowing the communication session to remain ongoing.

- 19. (Original) The method for supporting communications of Claim 18 wherein the continuation session message includes a type data element.
- 20. (Original) The method for supporting communications of Claim 18 wherein the continuation session message includes a length data element.
- 21. (Original) The method for supporting communications of Claim 18 wherein the continuation session message includes a vendor-type data element.
- 22. (Original) The method for supporting communications of Claim 18 wherein the continuation session message includes an identifier data element.
- 23. (Original) The method for supporting communications of Claim 18 wherein the continuation session message includes a session continuation attribute data element.